

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	232	kaoru with ikeda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 12:27
L3	513	(center adj line) adj roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:06
L4	98	nishizawa with takatoshi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:45
L5	20	(nishizawa with takatoshi) and roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:51
L6	9	(shiina with masaki) and roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 12:52
L7	19	((average mean) with roughness) and (heat with (seal sealing sealable sealed) ) and (label labelling labelled) and mold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:25
L8	53	((average mean) with roughness) and ( (seal sealing sealable sealed) ) and (label labelling labelled) and mold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:27
L10	273	(roughness) and ( (seal sealing sealable sealed) ) and (label labelling labelled) and mold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:27

L11	65	(roughness) and ( ( seal sealing sealable sealed) ) and ((label labelling labelled) same mold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:29
L13	285	(surface with roughness) and ( ( seal sealing sealable sealed) with (layer ply sheet)) and (label labelling labelled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:40
L14	29	(roughness) and ( (heat thermal thermally) with (seal sealing sealable sealed) with (layer ply sheet)) and ((label ) same mold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:36
L15	46	(roughness) and ( (heat thermal thermally) with (seal sealing sealable sealed) ) and ((label ) same (mold molded molding))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:37
L17	534	(roughness) and ( (heat thermal thermally) with (seal sealing sealable sealed) ) and ( (mold molded molding)) and (print printed printing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:38
L18	11	(label same (center adj line ) same roughness same layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:41
L19	183	(label same roughness same layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:41
L20	83	((oji adj yuka) sanyo yupo) and roughness and label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:46

L21	83	(label same (unstretched (non adj stretched)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:53
L22	8	(label same (unstretched (non adj stretched))) and roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:57
L23	36	(label same (unstretched (non adj stretched))) and (heat with (seal sealable sealed sealing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:02
L24	181	(label and (unstretched (non adj stretched))) and (heat with (seal sealable sealed sealing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:04
L25	55	(label and (unstretched (non adj stretched))) and (heat with (seal sealable sealed sealing)) and (mold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:09
L26	3	((labelling labelled) and (unstretched (non adj stretched))) and (heat with (seal sealable sealed sealing)) and (mold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:08
L27	38	(label and (unstretched (non adj stretched))) and (heat with (seal sealable sealed sealing)) and (mold) and "428"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:09